

External Roller Shutters



Secure, stylish and built for
WA conditions

Visit our showrooms Open Mon-Fri 9am-5pm, Sat 9am-1pm

NORTH

120 Furniss Rd, Landsdale

SOUTH

7b Blackly Row, Cockburn Central

137 127

theblindsgallery.com.au

sales@theblindsgallery.com.au

Security, Comfort & Style for Every Home

At The Blinds Gallery, we believe outdoor roller shutters should do more than just cover a window — they should enhance the way you live. From improved insulation and privacy to advanced security and weather protection, our premium roller shutter range is designed to suit every home, every lifestyle and every environment.

Solution for every need

Whether you're looking for everyday residential shutters, extra-wide commercial solutions, bushfire or cyclone-rated protection, or innovative smart automation, our collection combines Australian-made quality with industry-leading technology.

Custom made

Each system is custom-made to measure and professionally installed for a seamless finish that complements your home while delivering year-round comfort and peace of mind.

5 YEAR
WARRANTY



Residential Roller Shutter Range

Made-to-measure options perfect for your home or business, offering insulation, privacy, light control and noise reduction.



42mm Single & Double Line

Ideal for residential windows and light commercial applications.



55mm Widespan

Designed for wider openings, garages and larger window spans.



77mm Widespan

Heavy-duty widespan solution for residential and commercial.

Purpose-built protection & design

Options for visibility, bushfire ones, cyclone regions and enhanced security



Easyview™ Roller Shutter

- ✓ Turns open spaces into extra rooms.
- ✓ High quality aluminium & UV resistant polycarb profile.
- ✓ NEW stronger, larger & clearer 60mm polycarbonate profile with 20% more light & vision.
- ✓ Suitable for wide shutter widths up to 4400mm.
- ✓ NEW high rigidity bottom bar.



Firesafe™ Bushfire Rated Roller Shutter

- ✓ Bushfire rated to Bushfire Attack Level (BAL) A40.
- ✓ Tested by CSIRO (Report# FSZ1379).
- ✓ Complies with Australian Bushfire Construction Standard AS3959-2018 (Clauses 3.7 & 8.5.1).
- ✓ Suitable for wide shutter widths up to 5800mm.
- ✓ Radiant heat shielding properties to 40 kW/m²



Cyclonesafe™ Cyclone Rated Roller Shutter

- ✓ Cyclone rated in Australian Cyclone Regions up to C4.
- ✓ Tested by James Cook University.
- ✓ Complies with AS/NZS1170.2:2011 all relevant wind & cyclone standards.
- ✓ Commercial grade double wall extruded shutter profile.
- ✓ Heavy duty 68mm cyclone guide with locking system.



Locksafe™ Australia's First Anti-Lift Roller Shutter

- ✓ Once fully closed, LockSafe™ Roller Shutters make it very difficult for any intruder.
- ✓ Able to automatically lock in the fully closed position, using innovative 3-Step Locking Technology & patented lock-bolt design.
- ✓ Can be controlled via either a wall switch or a remote control transmitter.
- ✓ Maximum shutter width 3200mm

Made to complement your home

Colour Options

Choose from a broad palette of popular neutrals and architectural colours across the range to customise, profile, pelmets, side frames, bottom bars and guides. Exact colour options vary by range. Powder coated options and coastal treatments are available on selected components.



Control Options

Smart motorised solutions for effortless control of your roller shutters. Exact control options vary by range.



Low voltage roller shutter control system with a built-in radio receiver and removable, rechargeable battery.



Solar cells charge a concealed battery system that in turn powers the motor and window furnishing. All controlled via remote control.

Manual Control



Strap Winder
Up to 20kg*



Cord Winder
Up to 20kg*



Steel Cable Winder
Up to 50kg*



Strap Coiler
Up to 20kg*



Cord Coiler
Up to 20kg*



Spring Loaded with Key Lock

Motorised Control



Remote Control
With SolarSmart™ Plus Automation 12V Motor*



PowerSmart™ Control System
With 12V Motor*



Wall Switch
With 240V Electric Motor*



Key Ring Transmitter
With 240V Electric Motor & Multi-Function SIMU SD100 Hz Radio Receiver & Control Unit*



Remote Control
With 240V Electric SIMU Hz Motor*



Key Switch
With 240V Electric Motor*

Your consultant will confirm profile compatibility, electrical requirements and the most suitable control method during measure and quotation.

Commercial Roller Shutter Range

Made with a precision extruded roller shutter profile.

Suitable for many commercial and industrial grade applications.



Call us on 137 127

theblindsgallery.com.au
sales@theblindsgallery.com.au

Visit our showrooms Open Mon-Fri 9am-5pm, Sat 9am-1pm

NORTH

120 Furniss Rd, Landsdale

SOUTH

7b Blackly Row, Cockburn Central

Need more inspiration? Head to our socials [f](#) [@](#) [v](#) @theblindsgallery

